

Searches for User *gphilippe* (Count = 10147)

Queries 10098 through 10147.

Find

| S # | Updt | Database | Query | Time | Comment |
|------------------------|-------------------|--------------------------|--|------------------------|---------|
| S10147 | U | PGPB,USPT,EPAB,JPAB,DWPI | (odd column\$1 and even column\$1) and systolic and motion estimat\$ | 2004-09-02 14:33:10 | |
| S10146 | U | PGPB,USPT,EPAB,JPAB,DWPI | ((hierarchi\$ with motion with estimat\$) and (even column\$1 and odd column\$1)) | 2004-09-02 14:25:50 | |
| S10145 | U | PGPB,USPT,EPAB,JPAB,DWPI | ((hierarchi\$ with motion with estimat\$) same (even column\$1 and odd column\$1)) | 2004-09-02 14:25:24 | |
| S10144 | U | USPT | (6549575 or 5706059 or 6504872 or 5708732 or 6208692 or 6560371 or 6430317).pn. | 2004-09-02 12:12:17 | |
| S10143 | U | PGPB,USPT,EPAB,JPAB,DWPI | (6549575 or 5706059 or 6504872 or 5708732 or 6208692 or 6560371 or 6430317).pn. | 2004-09-02 12:12:04 | |
| S10142 | U | PGPB,USPT,EPAB,JPAB,DWPI | (default with (qp or quantization parameter\$1)) and flat and (adaptiv\$ with quantiz\$) and (surplus and bit rate\$1) | 2004-09-01 14:23:01 | |
| S10141 | U | PGPB,USPT,EPAB,JPAB,DWPI | flat and (adaptiv\$ with quantiz\$) and (surplus and bit rate\$1) | 2004-09-01 14:18:34 | |
| S10140 | U | PGPB,USPT,EPAB,JPAB,DWPI | (adaptiv\$ with quantiz\$) and (surplus and bit rate\$1) | 2004-09-01 14:18:14 | |
| S10139 | U | USPT | image\$1 and (distance with proportion\$ with weight) and (bi-direction\$ or bidirection\$) | 2004-09-01 12:56:28 | |
| S10138 | U | USPT | (distance with proportion\$ with weight) and (bi-direction\$ or bidirection\$) | 2004-09-01 12:56:02 | |

| | | | | |
|---------------|----------|--------------------------|---|------------------------|
| <u>S10137</u> | <u>U</u> | USPT | 5988863.pn. | 2004-09-01 12:26:29 |
| <u>S10136</u> | <u>U</u> | USPT | (predict\$2 near3 frame\$1) and ((weight\$ with proportion\$1) and (bidirectional\$ or bi-directional\$)) | 2004-09-01 11:54:44 |
| <u>S10135</u> | <u>U</u> | USPT | ((weight\$ with proportion\$1) and (bidirectional\$ or bi-directional\$)) | 2004-09-01 11:53:46 |
| <u>S10134</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | distance\$1 and (weight\$2 same frame same (predicted)) and (bi-directional\$ or bidirectional\$) | 2004-08-31 16:43:03 |
| <u>S10133</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | (weight\$2 same frame same (predicted)) and (bi-directional\$ or bidirectional\$) | 2004-08-31 16:11:16 |
| <u>S10132</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | weight\$ and 5825680.pn. | 2004-08-31 10:41:28 |
| <u>S10131</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | weight\$ and 6629104.pn. | 2004-08-31 10:41:03 |
| <u>S10130</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | (weight\$ and (6629104 or 5852680).pn.) | 2004-08-31 10:40:04 |
| <u>S10129</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | weight\$3 and ((pixel\$1 with value\$) same (bi-direction\$ or bi direction\$)) | 2004-08-27 11:47:38 |
| <u>S10128</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | ((pixel\$1 with value\$) same (bi-direction\$ or bi direction\$)) | 2004-08-27 11:46:42 |
| <u>S10127</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | weight and (bidirectional or bi directional) and blend factor | 2004-08-26 18:59:30 |
| <u>S10126</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | (bidirectional or bi directional) and blend factor | 2004-08-26 18:59:15 |
| <u>S10125</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | blend factor | 2004-08-26 18:58:50 |
| <u>S10124</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | ((distance same weight same average) and blend factor) | 2004-08-26 18:58:33 |
| <u>S10123</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | (distance same weight same average) and weight\$ with (proportion\$1 or portion\$1 or fraction\$1) and | 2004-08-26 18:57:46 |

| | | | |
|---------------|----------|--|----------------------------|
| | | ((bidirectional\$ or bi directional\$\$) with (predict\$ with frame\$1)) | |
| <u>S10122</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI weight\$ with (proportion\$1 or portion\$1 or fraction\$1) and ((bidirectional\$ or bi directional\$\$) with (predict\$ with frame\$1)) and (distance same weight same average with weight) | 2004-08- 26 18:57:04 |
| <u>S10121</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI (distance same weight same average with weight) | 2004-08- 26 18:56:53 |
| <u>S10120</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI weight\$ with (proportion\$1 or portion\$1 or fraction\$1) and ((bidirectional\$ or bi directional\$\$) with (predict\$ with frame\$1)) | 2004-08- 26 18:51:04 |
| <u>S10119</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI ((bidirectional\$ or bi directional\$\$) with (predict\$ with frame\$1)) | 2004-08- 26 18:50:11 |
| <u>S10118</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI (bidirectional\$ with predict\$) and (weight\$ with pixel\$1 same intermediate) | 2004-08- 26 18:46:49 |
| <u>S10117</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI (weight\$ with pixel\$1 same intermediate) | 2004-08- 26 18:46:04 |
| <u>S10116</u> | <u>U</u> | USPT (means with square) and 5790206.pn. | 2004-08- 26 15:14:25 |
| <u>S10115</u> | <u>U</u> | USPT (means with square) and 5740283.pn. | 2004-08- 26 15:14:06 |
| <u>S10114</u> | <u>U</u> | USPT means square and 5740283.pn. | 2004-08- 26 15:13:45 |
| <u>S10113</u> | <u>U</u> | USPT reduc\$3 and 5740283.pn. | 2004-08- 26 14:17:02 |
| <u>S10112</u> | <u>U</u> | USPT decimat\$ and 5740283.pn. | 2004-08- 26 14:16:43 |
| <u>S10111</u> | <u>U</u> | USPT compress\$ and 5740283.pn. | 2004-08- 26 14:10:17 |
| <u>S10110</u> | <u>U</u> | USPT displacement and 5740283.pn. | 2004-08- 26 14:05:56 |

| | | | | |
|---------------|----------|--------------------------|---|----------------------------|
| <u>S10109</u> | <u>U</u> | USPT | (column\$1 and row\$1) and 5740283.pn. | 2004-08- 26 13:53:13 |
| <u>S10108</u> | <u>U</u> | USPT | spatial\$2 and 5790206.pn. | 2004-08- 26 13:33:25 |
| <u>S10107</u> | <u>U</u> | USPT | spatial\$2 and 5740283.pn. | 2004-08- 26 13:30:59 |
| <u>S10106</u> | <u>U</u> | USPT | (vector\$1 with motion) and 5740283.pn. | 2004-08- 26 11:24:44 |
| <u>S10105</u> | <u>U</u> | USPT | (vector\$1 and spatial\$1) and 5740283.pn. | 2004-08- 26 11:16:51 |
| <u>S10104</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | (row\$1 and column\$1) and 5740283.pn. | 2004-08- 25 19:11:46 |
| <u>S10103</u> | <u>U</u> | USPT | motion estimat\$ and 5740283.pn. | 2004-08- 25 17:22:30 |
| <u>S10102</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | array\$1 and (compar\$ near3 coefficients) and (motion near2 estimat\$) | 2004-08- 25 11:57:17 |
| <u>S10101</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | (compar\$ near3 coefficients) and (motion near2 estimat\$) | 2004-08- 25 11:56:34 |
| <u>S10100</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | array\$1 and (image\$1 or frame\$1) and phase\$1 and (coefficients same (block near3 match\$3)) and (estimat\$ with motion) | 2004-08- 24 13:10:32 |
| <u>S10099</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | (image\$1 or frame\$1) and phase\$1 and (coefficients same (block near3 match\$3)) and (estimat\$ with motion) | 2004-08- 24 13:10:06 |
| <u>S10098</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI | phase\$1 and (coefficients same (block near3 match\$3)) and (estimat\$ with motion) | 2004-08- 24 13:09:34 |

| | |
|--------|----------------------|
| Find | <input type="text"/> |
| Labels | Prev |
| Next | Oldest |
| Edit | Help |
| Return | |

Searches for User *gphilippe* (Count = 10151)

Queries 10102 through 10151.

Find

| S # | Updt | Database | Query | Time | Comment |
|------------------------|-------------------|--------------------------|---|---------------------|---------|
| S10151 | U | PGPB,USPT,EPAB,JPAB,DWPI | (demux or demultiplexer\$1 and (systolic and (motion near3 estimat\$)) and odd and even | 2004-09-02 17:33:47 | |
| S10150 | U | PGPB,USPT,EPAB,JPAB,DWPI | (systolic and (motion near3 estimat\$)) and odd and even | 2004-09-02 17:32:48 | |
| S10149 | U | PGPB,USPT,EPAB,JPAB,DWPI | (systolic and (motion near3 estimat\$)) and odd and even | 2004-09-02 17:32:35 | |
| S10148 | U | PGPB,USPT,EPAB,JPAB,DWPI | (systolic and (motion near3 estimat\$)) and odd and even | 2004-09-02 17:32:13 | |
| S10147 | U | PGPB,USPT,EPAB,JPAB,DWPI | (odd column\$1 and even column\$1) and systolic and motion estimat\$ | 2004-09-02 14:33:10 | |
| S10146 | U | PGPB,USPT,EPAB,JPAB,DWPI | ((hierarchi\$ with motion with estimat\$) and (even column\$1 and odd column\$1)) | 2004-09-02 14:25:50 | |
| S10145 | U | PGPB,USPT,EPAB,JPAB,DWPI | ((hierarchi\$ with motion with estimat\$) same (even column\$1 and odd column\$1)) | 2004-09-02 14:25:24 | |
| S10144 | U | USPT | (6549575 or 5706059 or 6504872 or 5708732 or 6208692 or 6560371 or 6430317).pn. | 2004-09-02 12:12:17 | |
| S10143 | U | PGPB,USPT,EPAB,JPAB,DWPI | (6549575 or 5706059 or 6504872 or 5708732 or 6208692 or 6560371 or 6430317).pn. | 2004-09-02 12:12:04 | |
| S10142 | U | PGPB,USPT,EPAB,JPAB,DWPI | (default with (qp or quantization parameter\$1)) and 01 flat and (adaptiv\$ with quantiz\$) and (surplus and bit rate\$1) | 2004-09-01 14:23:01 | |

| | | | |
|---------------|----------|--|------------------------|
| <u>S10141</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI flat and (adaptiv\$ with quantiz\$) and (surplus and bit rate\$1) | 2004-09-01 14:18:34 |
| <u>S10140</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI (adaptiv\$ with quantiz\$) and (surplus and bit rate\$1) | 2004-09-01 14:18:14 |
| <u>S10139</u> | <u>U</u> | USPT image\$1 and (distance with proportion\$ with weight) and (bi-direction\$ or bidirection\$) | 2004-09-01 12:56:28 |
| <u>S10138</u> | <u>U</u> | USPT (distance with proportion\$ with weight) and (bi-direction\$ or bidirection\$) | 2004-09-01 12:56:02 |
| <u>S10137</u> | <u>U</u> | USPT 5988863.pn. | 2004-09-01 12:26:29 |
| <u>S10136</u> | <u>U</u> | USPT (predict\$2 near3 frame\$1) and ((weight\$ with proportion\$1) and (bidirectional\$ or bi-directional\$)) | 2004-09-01 11:54:44 |
| <u>S10135</u> | <u>U</u> | USPT ((weight\$ with proportion\$1) and (bidirectional\$ or bi-directional\$)) | 2004-09-01 11:53:46 |
| <u>S10134</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI distance\$1 and (weight\$2 same frame same (predicted)) and (bi-directional\$ or bidirectional\$) | 2004-08-31 16:43:03 |
| <u>S10133</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI (weight\$2 same frame same (predicted)) and (bi-directional\$ or bidirectional\$) | 2004-08-31 16:11:16 |
| <u>S10132</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI weight\$ and 5825680.pn. | 2004-08-31 10:41:28 |
| <u>S10131</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI weight\$ and 6629104.pn. | 2004-08-31 10:41:03 |
| <u>S10130</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI (weight\$ and (6629104 or 5852680).pn.) | 2004-08-31 10:40:04 |
| <u>S10129</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI weight\$3 and ((pixel\$1 with value\$) same (bi-direction\$ or bi direction\$)) | 2004-08-27 11:47:38 |
| <u>S10128</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI ((pixel\$1 with value\$) same (bi-direction\$ or bi direction\$)) | 2004-08-27 11:46:42 |
| <u>S10127</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI weight and (bidirectional or bi directional) and blend factor | 2004-08-26 18:59:30 |
| <u>S10126</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI (bidirectional or bi directional) | 2004-08- |

| | | | |
|---------------|----------|---|----------------------------|
| | | and blend factor | 26 18:59:15 |
| <u>S10125</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPIblend factor | 2004-08- 26 18:58:50 |
| <u>S10124</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI((distance same weight same average) and blend factor) | 2004-08- 26 18:58:33 |
| <u>S10123</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI(distance same weight same average) and weight\$ with (proportion\$1 or portion\$1 or fraction\$1) and ((bidirectional\$ or bi directional\$\$) with (predict\$ with frame\$1)) | 2004-08- 26 18:57:46 |
| <u>S10122</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPIweight\$ with (proportion\$1 or portion\$1 or fraction\$1) and ((bidirectional\$ or bi directional\$\$) with (predict\$ with frame\$1)) and (distance same weight same average with weight) | 2004-08- 26 18:57:04 |
| <u>S10121</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI(distance same weight same average with weight) | 2004-08- 26 18:56:53 |
| <u>S10120</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPIweight\$ with (proportion\$1 or portion\$1 or fraction\$1) and ((bidirectional\$ or bi directional\$\$) with (predict\$ with frame\$1)) | 2004-08- 26 18:51:04 |
| <u>S10119</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI((bidirectional\$ or bi directional\$\$) with (predict\$ with frame\$1)) | 2004-08- 26 18:50:11 |
| <u>S10118</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI(bidirectional\$ with predict\$) and (weight\$ with pixel\$1 same intermediate) | 2004-08- 26 18:46:49 |
| <u>S10117</u> | <u>U</u> | PGPB,USPT,EPAB,JPAB,DWPI(weight\$ with pixel\$1 same intermediate) | 2004-08- 26 18:46:04 |
| <u>S10116</u> | <u>U</u> | USPT (means with square) and 5790206.pn. | 2004-08- 26 15:14:25 |
| <u>S10115</u> | <u>U</u> | USPT (means with square) and 5740283.pn. | 2004-08- 26 15:14:06 |
| <u>S10114</u> | <u>U</u> | USPT means square and 5740283.pn. | 2004-08- 26 15:13:45 |

| | | | | |
|------------------------|-------------------|--------------------------|---|------------------------|
| S10113 | U | USPT | reduc\$3 and 5740283.pn. | 2004-08-26 14:17:02 |
| S10112 | U | USPT | decimat\$ and 5740283.pn. | 2004-08-26 14:16:43 |
| S10111 | U | USPT | compress\$ and 5740283.pn. | 2004-08-26 14:10:17 |
| S10110 | U | USPT | displacement and 5740283.pn. | 2004-08-26 14:05:56 |
| S10109 | U | USPT | (column\$1 and row\$1) and 5740283.pn. | 2004-08-26 13:53:13 |
| S10108 | U | USPT | spatial\$2 and 5790206.pn. | 2004-08-26 13:33:25 |
| S10107 | U | USPT | spatial\$2 and 5740283.pn. | 2004-08-26 13:30:59 |
| S10106 | U | USPT | (vector\$1 with motion) and 5740283.pn. | 2004-08-26 11:24:44 |
| S10105 | U | USPT | (vector\$1 and spatial\$1) and 5740283.pn. | 2004-08-26 11:16:51 |
| S10104 | U | PGPB,USPT,EPAB,JPAB,DWPI | (row\$1 and column\$1) and 5740283.pn. | 2004-08-25 19:11:46 |
| S10103 | U | USPT | motion estimat\$ and 5740283.pn. | 2004-08-25 17:22:30 |
| S10102 | U | PGPB,USPT,EPAB,JPAB,DWPI | array\$1 and (compar\$ near3 coefficients) and (motion near2 estimat\$) | 2004-08-25 11:57:17 |

Find